

Expert Advice. Great Value. Contact Us Today!

Call: [203-647-9147](tel:203-647-9147) **Email:** sales@haywardts.com

Website: www.haywardturnstiles.com

**SwingGate HT348
 Extended ADA Passage
 Width**

Full Height Security • Matches SecureTurn Full Height Turnstiles




**SwingGate HT348
 with Bars**

Shown in Galvanized
 (48" Extended ADA opening)



**SwingGate HT348M
 with Mesh**

Shown in Stainless
 (48" Extended ADA opening)



Hydraulic Closer (included)

Optional motorized operation for
 hands-free opening & closing.



Panic Bar

Full-width push bar for exit
 (Mesh models only).

Full Height Handicap Access:

Our HT348 provides the same floor to ceiling level of security as our full height turnstiles while simultaneously providing an ADA compliant clear opening for disabled entrants. This model also features an extended 48" clear opening as compared to the 36" clear opening HT336 model to provide even more entry space for people with wheelchairs, deliveries, toolboxes, and more.

Materials and finishes available in:

- Hot Dip Galvanized Steel
- Powder Coat over Steel
- 304 Stainless Steel

Matching SecureTurn Full Height turnstiles in this series:

- SecureTurn HT431 Standard Passage 31"
- SecureTurn HT439 Wide Passage 39"
- SecureTurn HT448 Extra Wide Passage 48"
- SecureTurn HT431T Tandem Size for double passage

About Hayward Turnstiles:

Hayward Turnstiles is a family owned manufacturer and distributor of turnstiles and security gates in Connecticut with over 50 years of precision manufacturing success.

Here at Hayward, customer service and a stress-free ordering environment are our primary goals. The members of our sales team act as your personal access control specialists. They take the time to learn about your specific project needs to ensure that you are matched with the products that best fit your job requirements.

To aid in your decision making process, we offer access control advice, design assistance, same-day quotations, and can even coordinate installation by putting you in contact with an installer from our national network of certified partner installers. We go the extra mile so you don't have to.

Need Installation?

Our Hayward Turnstiles access control specialists can coordinate installation with someone from our nationwide database of certified partner installers. Our partner installers are willing to provide you with an entire turn-key quote where they will handle purchasing, delivery, installation, and integration for you.

Applications:

The SwingGate HT348 is the perfect solution for anyone looking to harness the security of a full height entry product without sacrificing handicap accessibility. This model is also great if you have an entrance that is frequented with deliveries, entrants with toolboxes or luggage, or any other item that would not regularly fit through a full height turnstile.

Product Finish:

Available in all of our standard finishes (stainless, powder coated, or galvanized) to match our turnstiles.

Design & Construction:

- Designed as an extended ADA compliant solution for perimeter security
- 48" passage width with an overall width of 55"
- Fully welded exterior components
- Built from heavy gauge materials that meet ASTM standards
- Choice of standard vertical bars or reach prevention mesh
- Minimally exposed, tamper proof hardware

Gate Operation:

- Gate automatically closes with included hydraulic door closer

- Field reversible electronic strike lock (24VDC) included
- Strike lock can be used mechanically or electronically
- Gate can be locked and unlocked using a key
- Strike lock can be set to lock or unlock the gate during power failure
- Voltage for electronic strike can be taken from nearby turnstile power supply

Options:

- Heavy gauge tight weave mesh (HT348M)
- Push operated panic bar for free exit situations (only available with mesh option)
- Magnetic lock (replaces included strike)
- Motorized gate opener (requires 110VAC)
- Push buttons (wired or wireless)
- Additional options available upon request

Electrical Specifications:

UL Approved Electronic Strike: Input Voltage: 24VDC
 Input Current: 170 mA

Warranty:

Units are warranted against defects in materials and workmanship for one year.

